PSMG2 Rabbit pAb

Catalog NO.: A0680

Basic Information

Observed MW
29kDa

Calculated MW
29kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human, Mouse, Rat

Conjugation
Unconjugated

Background

Enables molecular adaptor activity. Involved in chaperone-mediated protein complex assembly. Located in nucleus. Part of chaperone complex.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
56984

Swiss Prot
Q969U7

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
PAC2; HCCA3; CLAST3; MDS003; PRAAS4; HsT1707; TNFSF5IP1; PSMG2

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of lysates from 293T cells, using PSMG2 Rabbit pAb (A0680).
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.