

EDC4 Rabbit pAb

Catalog NO.: A15418

Basic Information

Observed MW

160-180kDa

Calculated MW

152kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse

Conjugation

Unconjugated

Background

Predicted to be involved in deadenylation-independent decapping of nuclear-transcribed mRNA. Located in P-body and nucleoplasm.

Recommended Dilutions

WB 1:200 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

23644

Swiss Prot

Q6P2E9

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

GE1; Ge-1; RCD8; HEDL5; HEDLS; RCD-8; EDC4

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of various lysates using EDC4 Rabbit pAb (A15418) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit (RM00021).

Exposure time: 30s.

