MIEN1 Rabbit pAb

Catalog NO.: A15535

Basic Information

Observed MW
15kDa

Calculated MW
12kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human

Conjugation
Unconjugated

Background

Involved in negative regulation of apoptotic process; positive regulation of cell migration; and positive regulation of filopodium assembly. Located in several cellular components, including centriolar satellite; cytosol; and nucleoplasm. Is intrinsic component of the cytoplasmic side of the plasma membrane.

Recommended Dilutions

WB 1:200 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
84299

Swiss Prot
Q9BRT3

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
C35; ORB3; XTP4; RDX12; C17orf37; MIEN1

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of lysates from 293T cells, using MIEN1 Rabbit pAb (A15535) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 90s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.