TRAF6BP/TAX1BP1 Rabbit pAb

Catalog NO.: A17039

Basic Information

Observed MW
Refer to figures

Calculated MW
91kDa

Category
Polyclonal Antibodies

Applications
IHC-P, ELISA

Cross-Reactivity
Human, Rat

Background

This gene encodes a HTLV-1 tax1 binding protein. The encoded protein interacts with TNFAIP3, and inhibits TNF-induced apoptosis by mediating the TNFAIP3 anti-apoptotic activity. Degradation of this protein by caspase-3-like family proteins is associated with apoptosis induced by TNF. This protein may also have a role in the inhibition of inflammatory signaling pathways. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Recommended Dilutions

IHC-P	1:50 - 1:200

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
8887

Swiss Prot
Q86VP1

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
T6BP; TXBP151; CALCOCO3; TRAF6BP/TAX1BP1

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG


Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using TRAF6BP/TAX1BP1 Rabbit pAb (A17039) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.



Immunohistochemistry analysis of paraffin-embedded Human breast cancer using TRAF6BP/TAX1BP1 Rabbit pAb (A17039) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.