NUDT16 Rabbit pAb

Catalog NO.: A17825 **1 Publications**

Basic Information

Observed MW
21kDa

Calculated MW
21kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human, Mouse

Conjugation
Unconjugated

Background

Enables several functions, including RNA binding activity; metal ion binding activity; and purine ribonucleoside triphosphate binding activity. Involved in IDP catabolic process; RNA metabolic process; and positive regulation of cell cycle process. Located in cytoplasm; nucleolus; and nucleoplasm.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
131870

Swiss Prot
Q96DE0

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
NUDT16

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using NUDT16 Rabbit pAb (A17825) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 180s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.