GPR35 Rabbit pAb

Catalog NO.: A17953 **1 Publications**

Basic Information

Observed MW
34kDa

Calculated MW
34kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Mouse

Background

Enables C-X-C chemokine receptor activity. Involved in several processes, including chemokine-mediated signaling pathway; negative regulation of voltage-gated calcium channel activity; and positive regulation of cytosolic calcium ion concentration. Is integral component of plasma membrane.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
2859

Swiss Prot
Q9HC97

Immunogen
Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms
GPR35

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using GPR35 Rabbit pAb (A17953) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 1s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.