Btbd11 Rabbit pAb

Catalog NO.: A20192 **2 Publications**

Basic Information

Observed MW
121kDa

Calculated MW
122kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human, Mouse, Rat

Conjugation
Unconjugated

Background

Predicted to enable protein heterodimerization activity. Acts upstream of or within SMAD protein signal transduction. Predicted to be located in membrane. Predicted to be integral component of membrane. Is expressed in central nervous system; dorsal root ganglion; genitourinary system; and thymus primordium. Orthologous to human BTBD11 (BTB domain containing 11).

Recommended Dilutions

WB 1:500 - 1:1000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
74007

Swiss Prot
Q6GQW0

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
Btbd11; 6330404E16Rik

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of lysates from Mouse brain, using Btbd11 Rabbit pAb (A20192) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Enhanced Kit (RM00021).
Exposure time: 180s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.