# ZNF213 Rabbit pAb

**Catalog NO.: A20685**

## Basic Information

### Observed MW
Refer to figures

### Calculated MW
51kDa

### Category
Polyclonal Antibodies

### Applications
WB, IHC-P, ELISA

### Cross-Reactivity
Human, Mouse, Rat

### Conjugation
Unconjugated

## Background

C2H2 zinc finger proteins, such as ZNF213, have bipartite structures in which one domain binds DNA or RNA and the other modulates target gene expression.

## Recommended Dilutions

| | |
|---|---|
| **WB** | 1:500 - 1:2000 |
| **IHC-P** | 1:50 - 1:200 |

### ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

## Immunogen Information

### Gene ID
7760

### Swiss Prot
O14771

### Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

### Synonyms
CR53; ZSCAN53; ZKSCAN21; ZNF213

## Contact

## Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


**Source**
Rabbit

**Isotype**
IgG1


**Purification**
Affinity purification

**Storage**
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.


## Validation Data




Immunohistochemistry analysis of paraffin-embedded Human colon carcinoma using ZNF213 Rabbit pAb (A20685) at dilution of 1:100 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using ZNF213 Rabbit pAb (A20685) at dilution of 1:100 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry analysis of paraffin-embedded Mouse brain using ZNF213 Rabbit pAb (A20685) at dilution of 1:100 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry analysis of paraffin-embedded Rat testis using ZNF213 Rabbit pAb (A20685) at dilution of 1:100 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate buffer (pH 6.0) prior to IHC staining.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.