PVRIG Rabbit pAb

Catalog NO.: A21303

Basic Information

Observed MW
30-40kd

Calculated MW
34kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human

Background

Enables phosphatase binding activity and signaling receptor activity. Involved in negative regulation of T cell receptor signaling pathway. Located in plasma membrane.

Recommended Dilutions

WB 1:100 - 1:500

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
79037

Swiss Prot
Q6DKI7

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
CD112R; C7orf15; PVRIG

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com

Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates using PVRIG Rabbit pAb (A21303) at 1:500 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 90s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.