

Mouse Ythdc1 Rabbit pAb

Catalog NO.: A24548

Basic Information

Observed MW

110kDa

Calculated MW

85kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Mouse

Conjugation

Unconjugated

Background

Predicted to enable N6-methyladenosine-containing RNA binding activity and mRNA binding activity. Involved in posttranscriptional regulation of gene expression. Acts upstream of or within gamete generation; in utero embryonic development; and regulation of mRNA processing. Located in nucleus. Orthologous to human YTHDC1 (YTH domain containing 1).

Recommended Dilutions

WB 1:1000 - 1:5000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

231386

Swiss Prot

E9Q5K9

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

mKIAA1966; A730098D12Rik; Mouse Ythdc1

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of lysates from NIH/3T3 cells, using Mouse Ythdc1 Rabbit pAb (A24548) at 1:2000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit (RM00021).

Exposure time: 60s.

