

PE/Cyanine7 Armenian Hamster anti-Mouse CD3e mAb

Catalog NO.: A27751

Basic Information

Observed MW

Calculated MW

21kDa

Category

Monoclonal Antibodies

Applications

FC

Cross-Reactivity

Mouse

Conjugation

PE-Cy7. Ex:565nm. Em:778nm.

Clone number

ACC0011

Background

Predicted to enable several functions, including SH3 domain binding activity; identical protein binding activity; and protein heterodimerization activity. Involved in nervous system development and positive regulation of cell adhesion. Acts upstream of or within several processes, including positive regulation of T cell activation; positive regulation of cytokine production; and regulation of signal transduction. Located in several cellular components, including dendritic spine; external side of plasma membrane; and immunological synapse. Part of alpha-beta T cell receptor complex. Is expressed in colon and hemolymphoid system. Human ortholog(s) of this gene implicated in immunodeficiency 18. Orthologous to human CD3E (CD3e molecule).

Recommended Dilutions

FC ≤0.25 µg per million cells in 100 µl volume

Immunogen Information

Gene ID

12501

Swiss Prot

P22646

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

CD3; T3e; CD3epsilon


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Armenian Hamster	Armenian hamster / IgG	Affinity purification
Storage		
Store at 2-8°C. Avoid freeze.		
Buffer: PBS with 0.09% Sodium azide,0.2% BSA,pH7.3.		

Validation Data



Flow cytometry: 1X10^6 C57BL/6 mouse splenocytes were surface-stained with PE/Cyanine7 Armenian Hamster IgG isotype control (0.25µg,left) or PE/Cyanine7 Armenian Hamster anti-Mouse CD3e mAb (A27751,0.25µg,right).

