

ABflo® 488 Rabbit anti-Mouse CD21/CD35 mAb

Catalog NO.: A27965

Basic Information

Observed MW

Calculated MW

113kDa

Category

Monoclonal Antibodies

Applications

FC

Cross-Reactivity

Mouse

Conjugation

ABflo® 488. Ex:491nm. Em:516nm.

Clone number

ARC75079

Background

Enables complement receptor activity. Acts upstream of or within with a negative effect on complement activation, alternative pathway. Acts upstream of or within several processes, including cellular response to lipopolysaccharide; immunoglobulin mediated immune response; and skeletal system development. Located in external side of plasma membrane. Is expressed in several structures, including brain; hemolymphoid system; liver; placenta; and yolk sac. Human ortholog(s) of this gene implicated in common variable immunodeficiency 7; nasopharynx carcinoma; and systemic lupus erythematosus. Orthologous to human CR2 (complement C3d receptor 2).

Recommended Dilutions

FC ≤0.25 µg per million cells in 100 µl volume

Immunogen Information

Gene ID

12902

Swiss Prot

P19070

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

Cr1; C3DR; CD21; CD35; Cr-1; Cr-2


Contact

Product Information

✉		order@abclonal.com
✉		service@abclonal.com
✉		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Affinity purification
Storage		
Store at 2-8°C. Avoid freeze.		
Buffer: PBS with 0.09% Sodium azide,0.2% BSA,pH7.3.		

Validation Data



Flow cytometry: 1X10⁶ C57BL/6 mouse splenocytes were surface-stained with ABflo® 450 Rat anti-Mouse CD45R/B220 mAb (A27783,0.5 µg) and ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,left) or ABflo® 488 Rabbit anti-Mouse CD21/CD35 mAb (A27965,0.25 µg,right).

