

SRP54 Rabbit pAb

Catalog NO.: A4126 **1 Publications**

Basic Information

Observed MW

56kDa

Calculated MW

56kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse

Conjugation

Unconjugated

Background

Enables several functions, including 7S RNA binding activity; endoplasmic reticulum signal peptide binding activity; and guanyl ribonucleotide binding activity. Contributes to GTPase activity. Involved in granulocyte differentiation and protein targeting to ER. Located in cytosol and nucleus. Part of signal recognition particle, endoplasmic reticulum targeting. Implicated in severe congenital neutropenia 8.

Recommended Dilutions

WB 1:200 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID	Swiss Prot
6729	P61011

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

SCN8; SRP54

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates using SRP54 Rabbit pAb (A4126) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.

