GLI2 Rabbit pAb

Catalog NO.: A6510 **1 Publications**

Basic Information

Observed MW
90kDa

Calculated MW
168kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Mouse, Rat

Conjugation
Unconjugated

Background

Enables DNA-binding transcription activator activity, RNA polymerase II-specific; RNA polymerase II cis-regulatory region sequence-specific DNA binding activity; and promoter-specific chromatin binding activity. Acts upstream of or within several processes, including animal organ development; chordate embryonic development; and regulation of smoothened signaling pathway. Located in several cellular components, including axoneme; ciliary tip; and nuclear speck. Is expressed in several structures, including central nervous system; embryo mesenchyme; eye; genitourinary system; and jaw. Human ortholog(s) of this gene implicated in Culler-Jones syndrome; holoprosencephaly 9; and spina bifida. Orthologous to human GLI2 (GLI family zinc finger 2).

Recommended Dilutions

WB 1:500 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
14633

Swiss Prot
P10070

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
GLI2; CJS; HPE9; PHS2; THP1; THP2; Gli2

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates using GLI2 Rabbit pAb (A6510) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 90s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.