ZDHHC17 Rabbit pAb

Catalog NO.: A6793 **1 Publications**

Basic Information

Observed MW
73kDa

Calculated MW
73kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human, Mouse, Rat

Conjugation
Unconjugated

Background

Enables identical protein binding activity and protein-cysteine S-palmitoyltransferase activity. Involved in lipoprotein transport and protein palmitoylation. Located in Golgi membrane; Golgi-associated vesicle membrane; and aggresome.

Recommended Dilutions

WB 1:500 - 1:1000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
23390

Swiss Prot
Q8IUH5

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
HIP3; HYPH; HIP14; DHHC17; DHHC-17; HSPC294; ZDHHC17

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS, pH 7.3, containing 50% glycerol. Preserved with Proclin300 or sodium azide. May contain 0.05% BSA as specified on the Certificate of Analysis.

Validation Data



Western blot analysis of lysates from 293T cells, using ZDHHC17 Rabbit pAb (A6793) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 10s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.