

TOX Rabbit pAb

Catalog NO.: A7050 **1 Publications**

Basic Information

Observed MW

Calculated MW

58 kDa

Category

Polyclonal Antibodies

Applications

IF/ICC, ELISA

Cross-Reactivity

Human

Conjugation

Unconjugated

Background

The protein encoded by this gene contains a HMG box DNA binding domain. HMG boxes are found in many eukaryotic proteins involved in chromatin assembly, transcription and replication. This protein may function to regulate T-cell development.

Recommended Dilutions

IF/ICC 1:50 - 1:200

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID	Swiss Prot
9760	O94900

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

TOX1; TOX

Contact

Product Information

☐		order@abclonal.com
☐		service@abclonal.com
☐		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis),pH7.3.

Validation Data



Immunofluorescence analysis of U2OS cells using TOX Rabbit pAb (A7050).Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution.

