

SPATA4 Rabbit pAb

Catalog NO.: A7608 **1 Publications**

Basic Information

Observed MW

30kDa

Calculated MW

35kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse, Rat

Conjugation

Unconjugated

Background

Predicted to enable microtubule binding activity. Predicted to be involved in regulation of cytoskeleton organization. Predicted to be located in cytoplasm. Predicted to be active in axoneme.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

132851

Swiss Prot

Q8NEY3

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

FAP178; SPEF1B; TSARG2; CFAP178; SPATA4

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates using SPATA4 Rabbit pAb (A7608) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.

