

Biotinylated Recombinant Human IL-2 R alpha /CD25 Protein

Catalog No.: RP00449B

Sequence Information

Species	Gene ID
Human	3559
Swiss Prot	Tags
P01589	C-His&Avi

Synonyms

CD25; IDDM10; IL-2 R alpha; IL2R; IL2RA; p55; TCGFR

Product Information

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE; ≥ 95 % as determined by HPLC.

Calculated MW Observed MW

24.6 kDa 40-50 kDa

Endotoxin

< 1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Background

Human IL-2 receptor alpha (IL-2 R alpha), also known as Tac antigen and as CD25, was initially identified as a 55 kDa membrane glycoprotein that is capable of binding IL-2 receptor for interleukin-2. The receptor is involved in the regulation of immune tolerance by controlling regulatory T cells (TREGs) activity. TREGs suppress the activation and expansion of autoreactive T-cells.

Basic Information

Description

Biotinylated Recombinant Human IL-2 R alpha/CD25 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Glu22-Cys213) of Human IL-2 R alpha/CD25 (Accession #P01589) fused with a C-His&Avi tag at the C-terminus.

Activity

Shipping

Lyophilized proteins are shipped at ambient temperature. Liquid proteins are shipped at frozen temperature with dry ice. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.


Contact

		400-999-6126
		cn.market@abclonal.com.cn
		www.abclonal.com.cn


Validation Data



The purity of Biotinylated Human IL-2 R alpha is greater than 95% as determined by SEC-HPLC.



Immobilized Anti-CD25 Antibody, hFc Tag at 0.2 µg/mL (100 µL/well) on the plate. Dose response curve for Biotinylated Human IL-2 R alpha, His Tag with the EC₅₀ of 11.9ng/mL determined by ELISA.



Biotinylated Recombinant Human IL-2 R alpha/CD25 Protein was determined by Tris-Bis PAGE under reducing conditions.