

Recombinant Human CTLA-4/CD152 Protein

Catalog No.: RP00503

Sequence Information

Species **Gene ID**
Human 1493

Swiss Prot **Tags**
P16410-1 C-hFc

Synonyms

CTLA4; CD152; ICOS; CELIAC3;
GRD4; GSE; ALPS5; IDDM12

Product Information

Source **Purification**
HEK293 cells ≥ 95 % as
 determined by
 SDS-PAGE; ≥ 95
 % as determined
 by HPLC.

Calculated MWObserved MW
40.1 kDa 50-55 kDa

Endotoxin

< 1 EU/μg of the protein by LAL
method.

Formulation

Lyophilized from 0.22 μm filtered
solution in PBS (pH 7.4). Normally
8% trehalose is added as
protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening.
Reconstitute to a concentration of
0.1-0.5 mg/mL in sterile distilled
water. Avoid vortex or vigorously
pipetting the protein. For long
term storage, it is recommended
to add a carrier protein or stabilizer
(e.g. 0.1% BSA, 5% HSA, 10% FBS
or 5% Trehalose), and aliquot the
reconstituted protein solution to
minimize free-thaw cycles.

Background

CTLA-4 (cytotoxic T-lymphocyte-associated protein 4), also known as CD152, is a protein receptor that, functioning as an immune checkpoint, downregulates immune responses. CTLA4 is constitutively expressed in regulatory T cells but only upregulated in conventional T cells after activation – a phenomenon which is particularly notable in cancers. It acts as an "off" switch when bound to CD80 or CD86 on the surface of antigen-presenting cells.

Basic Information

Description

Recombinant Human CTLA-4/CD152 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Lys36-Asp161) of Human CTLA-4/CD152 (Accession #P16410-1) fused with a C-hFc tag at the C-terminus.

Activity

Shipping

Lyophilized proteins are shipped at ambient temperature.
Liquid proteins are shipped at frozen temperature with dry ice.
Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C

Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.


Contact

☎ | 400-999-6126


✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn


Validation Data




Immobilized Human B7-2, His Tag at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Human CTLA-4, hFc Tag with the EC₅₀ of 0.12 µg/mL determined by ELISA (QC Test).



The purity of Human CTLA-4 is greater than 95% as determined by SEC-HPLC.



Recombinant Human CTLA-4/CD152 Protein was determined by Tris-Bis PAGE under reducing conditions.



Human B7-1, His Tag captured on CM5 Chip via Anti-His Antibody can bind Human CTLA-4, hFc Tag with an affinity constant of 1.1nM as determined in SPR assay (Biacore T200).