Biotinylated Recombinant Human Siglec-3/CD33 Protein

Catalog No.: RP00555BLQ

www.abclonal.com

Sequence Information

Species
Human

Gene ID
945

Swiss Prot
P20138-1

Tags
C-His&Avi

Synonyms
CD33 molecule; CD33; FLJ00391; gp67; Siglec3; Siglec-3; p67

Product Information

Source
HEK293 cells

Purification
≥ 95 % as determined by SDS-PAGE;≥ 90 % as determined by HPLC.

Calculated MW
29.6 kDa

Observed MW
48-58 kDa

Endotoxin
< 1 EU/μg of the protein by LAL method.

Formulation
Supplied as 0.22 μm filtered solution in 50 mM MES, 500 mM NaCl, 200 mM L-arginine (pH 7.4).

Reconstitution

Background

Sialic-acid-binding immunoglobulin-like lectin (Siglec) that plays a role in mediating cell-cell interactions and in maintaining immune cells in a resting state.They are sialoadhesin/CD169/Siglec-1, CD22/Siglec-2, CD33/Siglec-3, Myelin-Associated Glycoprotein (MAG/Siglec-4a) and Siglecs 5 to 11. To date, no Siglec has been shown to recognized any cell surface ligand other than sialic acids, suggesting that interactions with glycans containing this carbohydrate are important in mediating the biological functions of Siglecs.

Basic Information

Description
Biotinylated Recombinant Human Siglec-3/CD33 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Asp18-His259) of Human Siglec-3/CD33 (Accession #P20138-1) fused with a C-His&Avi tag at the C-terminus.

Activity

Shipping
Lyophilized proteins are shipped at ambient temperature.
Liquid proteins are shipped at frozen temperature with dry ice.
Upon receipt, store it immediately at the temperature recommended below.

Storage
Store at -70℃


Operational Notes
For your safety and health, please wear a lab coat and disposable gloves for handling.

Contact


400-999-6126
cn.market@abclonal.com.cn
www.abclonal.com.cn

For research use only. Not for therapeutic or diagnostic purposes.
Please visit http://abclonal.com for a complete listing of recommended products.


Validation Data



Immobilized Biotinylated Human Siglec-3, His Tag at 0.5 μg/mL (100 μL/Well) on streptavidin (5 μg/mL) precoated plate. Dose response curve for Anti-Siglec-3 Antibody, hFc Tag with the EC_{50} of 4.4ng/mL determined by ELISA.



Biotinylated Recombinant Human Siglec-3/CD33 Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Biotinylated Human Siglec-3 is greater than 90% as determined by SEC-HPLC.

For research use only. Not for therapeutic or diagnostic purposes.
Please visit http://abclonal.com for a complete listing of recommended products.