Recombinant Human uPAR/PLAUR/CD87 Protein

Catalog No.: RP00658LQ

Sequence Information

Species
Human

Gene ID
5329

Swiss Prot
Q03405-1

Tags
C-hFc

Synonyms
U-PAR; uPAR; CD87; PLAUR; MO3; UPAR

Product Information

Source
HEK293 cells

Purification
≥ 95 % as determined by SDS-PAGE;≥ 95 % as determined by HPLC.

Calculated MW
58.2 kDa

Observed MW
70-80 kDa

Endotoxin
< 1 EU/μg of the protein by LAL method.

Formulation
Supplied as 0.22 μm filtered solution in PBS (pH 7.4).

Reconstitution

Background

The receptor (u-PAR) for urokinase plasminogen activator (u-PA) is a three-domain protein, GPI-anchored to the cell surface, which focuses the enzymatic activity of u-PA, and allows the cell surface activation of plasminogen.Regulation of the activity of u-PA is also mediated by u-PAR.

Basic Information

Description
Recombinant Human uPAR/PLAUR/CD87 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Leu23-Gly305) of Human uPAR/PLAUR/CD87 (Accession #Q03405-1) fused with a C-hFc tag at the C-terminus.

Activity

Shipping
Lyophilized proteins are shipped at ambient temperature.
Liquid proteins are shipped at frozen temperature with dry ice.
Upon receipt, store it immediately at the temperature recommended below.

Storage
Store at -70℃


Operational Notes
For your safety and health, please wear a lab coat and disposable gloves for handling.

Contact


400-999-6126
cn.market@abclonal.com.cn
www.abclonal.com.cn

For research use only. Not for therapeutic or diagnostic purposes.
Please visit http://abclonal.com for a complete listing of recommended products.


Validation Data



Recombinant Human uPAR/PLAUR/CD87 Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Human uPAR is greater than 95% as determined by SEC-HPLC.



Immobilized Human PLAU, His Tag at 0.5 μg/mL (100 μL/Well) on the plate. Dose response curve for Human uPAR, hFc Tag with the EC_{50} of 2.4ng/mL determined by ELISA.