Recombinant Mouse Thrombopoietin/THPO Protein

Catalog No.: RP01665

www.abclonal.com

Sequence Information

Species	Gene ID
Mouse	21832
Swiss Prot	**Tags**
P40226-1	C-6His

Synonyms

Ml; Tpo; Mgdf; Mpllg; THPO; TPO

Product Information

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE.
Calculated MW	**Observed MW**
36.43 kDa	60-80 kDa

Endotoxin

< 0.1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Background

Thrombopoietin (TPO or THPO), also known as myeloproliferative leukemia virus ligand (c-Mpl), is a hematopoietic growth factor belonging to the EPO /TPO family. The thrombopoietin protein is produced mainly by the liver and the kidney that regulates the production of platelets by the bone marrow. Thrombopoietin protein stimulates both proliferation of progenitor megakaryocytes and their maturation to platelet-producing megakaryocytes, and also accelerates the recovery of platelets. Thrombopoietin protein is involved in cardiovascular disease as it regulates megakaryocyte development and enhances platelet adhesion/aggregation. It has been identified that surface c-MPL, the receptor for thrombopoietin protein, binds to the ligand and mediates the action.

Basic Information

Description

Recombinant Mouse Thrombopoietin/THPO Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ser22-Thr356) of mouse Thrombopoietin/THPO (Accession #NP_033405.1.) fused with and a 6×His tag at the C-terminus.

Activity

Measured in a cell proliferation assay using MO7e human megakaryocytic leukemic cells. The ED_{50} for this effect is 0.45-1.80 ng/mL.

Shipping

Lyophilized proteins are shipped at ambient temperature.
Liquid proteins are shipped at frozen temperature with dry ice.
Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20℃

Operational Notes


For your safety and health, please wear a lab coat and disposable gloves for handling.

Contact


400-999-6126
cn.market@abclonal.com.cn
www.abclonal.com.cn

For research use only. Not for therapeutic or diagnostic purposes.
Please visit http://abclonal.com for a complete listing of recommended products.

Validation Data



Recombinant Mouse THPO stimulates cell proliferation of the MO7e human megakaryocytic leukemic cells.The ED_{50} for this effect is 0.45-1.80 ng/mL.



Recombinant Mouse Thrombopoietin/THPO Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.