Recombinant Human MUC-16/CA125 Protein

Catalog No.: RP01839

Sequence Information

Species
Human

Gene ID
94025

Swiss Prot
Q8WXI7

Tags
C-hFc

Synonyms
Mucin-16, MUC-16, Ovarian cancer-related tumor marker CA125, CA-125, Ovarian carcinoma antigen CA125, MUC16, CA125

Product Information

Source
HEK293 cells

Purification
≥ 95% as determined by SDS-PAGE.

Calculated MW
54.32 kDa

Observed MW
70-90 kDa

Endotoxin
< 0.01 EU/μg of the protein by LAL method

Formulation
Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution
Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Background

The CA125, also known as the MUC16, is a mucin protein that may be found in type I transmembrane or secreted forms that are used monitor the progress of epithelial ovarian cancer therapy. The CA 125 molecule is almost certainly a glycoprotein with a predominance of O-linkages. It is heterogeneous with regard to both size and charge, most likely due to continuous deglycosylation of side chains during its life-span in bodily fluids. It exists as a very large complex (perhaps as much as 4 million daltons) under natural conditions.

Basic Information

Description
Recombinant Human MUC-16/CA125 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gly12660-Met12923) of Human MUC-16/CA125 (Accession #NP_078966.2) fused with a hFc tag at the C-terminus.

Activity
Measured by its binding ability in a functional ELISA. Immobilized human Mesothelin/MSLN (Catalog: RP01053) at 2 μg/mL (100 μL/well) can bind human MUC16(Catalog: RP01839) with a linear range of 0.05-4.12 ng/mL.

Shipping
Lyophilized proteins are shipped at ambient temperature.
Liquid proteins are shipped at frozen temperature with dry ice.
Upon receipt, store it immediately at the temperature recommended below.

Storage
Store at -20℃


Operational Notes
For your safety and health, please wear a lab coat and disposable gloves for handling.

Contact


400-999-6126
cn.market@abclonal.com.cn
www.abclonal.com.cn

For research use only. Not for therapeutic or diagnostic purposes.
Please visit http://abclonal.com for a complete listing of recommended products.

Validation Data



Recombinant Human MUC-16/CA125 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized human Mesothelin/MSLN (Catalog: RP01053) at 2 μg/mL (100 μL/well) can bind human MUC16(Catalog: RP01839) with a linear range of 0.05-4.12 ng/mL.