

Recombinant Human VSIG2 Protein

Catalog No.: RP02170

Sequence Information

Species **Gene ID**
Human 23584

Swiss Prot **Tags**
Q96IQ7 C-His

Synonyms
2210413P10Rik, CTH, CTXL, VSIG2

Product Information

Source **Purification**
HEK293 cells ≥ 95 % as
determined by
SDS-PAGE.

Calculated MW **Observed MW**
24.2 kDa 24–36 kDa

Endotoxin
< 1 EU/μg of the protein by LAL
method.

Formulation
Lyophilized from a 0.2 μm filtered
solution of 20mM PB, 150mM
NaCl, pH 7.2. Contact us for
customized product form or
formulation.

Reconstitution
Centrifuge the tube before
opening. Reconstitute to a
concentration of 0.1–0.5 mg/mL in
sterile distilled water. Avoid vortex
or vigorously pipetting the protein.
For long term storage, it is
recommended to add a carrier
protein or stabilizer (e.g. 0.1% BSA,
5% HSA, 10% FBS or 5%
Trehalose), and aliquot the
reconstituted protein solution to
minimize free-thaw cycles.

Background

V-Set and Immunoglobulin Domain-Containing Protein 2 (VSIG2) is presumably a 50–60 kDa single-pass type I transmembrane (glyco)protein which contains one Ig-like C2-type (immunoglobulin-like) domain and one Ig-like V-type (immunoglobulin-like) domain. VSIG2 is highly expressed in the stomach, colon, prostate, trachea and thyroid glands and weakly in bladder and lung. V-set domains are Ig-like domains resembling the antibody variable domain. V-set domains are found in diverse protein families, including immunoglobulin light and heavy chains, in several T-cell receptors such as CD2 (Cluster of Differentiation 2), CD4, CD80, and CD86, in myelin membrane adhesion molecules, in junction adhesion molecules (JAM), in tyrosine-protein kinase receptors, and in the programmed cell death protein 1 (PD1). It shows expression in stomach and prostate by Northern blot, and likely participates in cell adhesion. Human VSIG2 precursor is 327 amino acids in length.

Basic Information

Description

Recombinant Human VSIG2 Protein is produced by Mammalian expression system. The target protein is expressed with sequence (Val24–Ala243) of human VSIG2 (Accession #Q96IQ7) fused with a 6xHis tag at the C- terminus.

Activity

Shipping

Lyophilized proteins are shipped at ambient temperature.
Liquid proteins are shipped at frozen temperature with dry ice.
Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at –20°C

Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.


Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Validation Data



Recombinant Human VSIG2 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.