Recombinant Human PKC iota/PRKCI Kinase

Catalog No.: RP03399LQ

Sequence Information

Species
Human

Gene ID
5584

Swiss Prot
P41743

Tags
N-GST

Synonyms
PRKCI; DXS1179E; nPKC-iota; PKCι; Protein kinase C iota type

Product Information

Source
Baculovirus-Insect Cells

Purification
≥ 90 % as determined by SDS-PAGE;≥ 90 % as determined by HPLC.

Calculated MW
94.8 kDa

Observed MW
85-100 kDa

Endotoxin
< 1 EU/μg of the protein by LAL method.

Formulation
Supplied as a 0.22 μm filtered solution in 50 mM Tris-HCl, 150 mM NaCl, 5% glycerol, 5 mM DTT, 0.1 M Trehalose. (pH 7.5). Contact us for customized product form or formulation.

Reconstitution
Please use running water to thaw it quickly.

Background

Protein kinase C iota type is an enzyme that in humans is encoded by the PRKCI gene. This gene encodes a member of the protein kinase C (PKC) family of serine/threonine protein kinases. The PKC family comprises at least eight members, which are differentially expressed and are involved in a wide variety of cellular processes. This protein kinase is calcium-independent and phospholipid-dependent. It is not activated by phorbol esters or diacylglycerol. This kinase can be recruited to vesicle tubular clusters (VTCs) by direct interaction with the small GTPase RAB2, where this kinase phosphorylates glyceraldehyde-3-phosphate dehydrogenase (GAPD/GAPDH) and plays a role in microtubule dynamics in the early secretory pathway. This kinase is found to be necessary for BCL-ABL-mediated resistance to drug-induced apoptosis and therefore protects leukemia cells against drug-induced apoptosis. There is a single exon pseudogene mapped on chromosome X.

Basic Information

Description
Recombinant Human PKC iota/PRKCI Kinase is produced by Baculovirus-Insect Cells expression system. The target protein is expressed with sequence (Pro2-Val596) of Human PRKCI (Accession #P41743) fused with a N-GST tag.

Activity
The activity of PRKCI is based on the MSA technology, and the content and ratio of the substrate and the product are directly separated and detected in real time and dynamically by the different migration rates of the substrate and the product after the enzymatic reaction.

Shipping
Lyophilized proteins are shipped at ambient temperature.
Liquid proteins are shipped at frozen temperature with dry ice.
Upon receipt, store it immediately at the temperature recommended below.

Storage
Store at -70℃


Operational Notes
For your safety and health, please wear a lab coat and disposable gloves for handling.

Contact


400-999-6126
cn.market@abclonal.com.cn
www.abclonal.com.cn

For research use only. Not for therapeutic or diagnostic purposes.
Please visit http://abclonal.com for a complete listing of recommended products.

Validation Data



The activity of PRKCI is based on the MSA technology, and the content and ratio of the substrate and the product are directly separated and detected in real time and dynamically by the different migration rates of the substrate and the product after the enzymatic reaction.



Recombinant Human PKC iota/PRKCI Kinase was resolved with SDS-PAGE under reducing (Lane 1) and non-reducing (Lane 2) conditions.