

CEP68 Rabbit pAb

Catalog NO.: A14858

Basic Information

Observed MW

76kDa

Calculated MW

81kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse, Rat

Conjugation

Unconjugated

Background

Enables protein domain specific binding activity and protein kinase binding activity. Involved in centriole-centriole cohesion and protein localization to organelle. Located in several cellular components, including centriolar satellite; cytosol; and nucleoplasm.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

23177

Swiss Prot

Q76N32

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

KIAA0582; CEP68

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of various lysates using CEP68 Rabbit pAb (A14858) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit (RM00021).

Exposure time: 90s.

