

MYMK Rabbit pAb

Catalog NO.: A18158 **2 Publications**

Basic Information

Observed MW

27kDa

Calculated MW

25kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Mouse, Rat

Background

Involved in myoblast fusion. Located in plasma membrane. Implicated in Carey-Fineman-Ziter syndrome.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

389827

Swiss Prot

A6NI61

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

TMEM8C; TMEM226; MYOMAKER; MYMK

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of lysates from Mouse skeletal muscle, using MYMK Rabbit pAb (A18158) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.

